

EANCOM DESADV D96A

Version: 1.7

Modified:

04.05.2018

Table of Contents

DESADV	Despatch advice message	1
UNB	INTERCHANGE HEADER	3
UNH	MESSAGE HEADER	5
BGM	BEGINNING OF MESSAGE	6
DTM	DATE/TIME/PERIOD	7
DTM	DATE/TIME/PERIOD	8
DTM	DATE/TIME/PERIOD	9
Group 1	Segment Group 1	10
RFF	REFERENCE	11
RFF	REFERENCE	12
RFF	REFERENCE	13
RFF	REFERENCE	14
Group 2	Segment Group 2	15
NAD	NAME AND ADDRESS	16
NAD	NAME AND ADDRESS	17
NAD	NAME AND ADDRESS	18
NAD	NAME AND ADDRESS	19
Group 6	Segment Group 6	20
TDT	DETAILS OF TRANSPORT	21
Group 10	Segment Group 10	22
CPS	CONSIGNMENT PACKING SEQUENCE	23
Group 11	Segment Group 11	24
PAC	PACKAGE	25
PAC	PACKAGE	26
Group 10	Segment Group 10	27
CPS	CONSIGNMENT PACKING SEQUENCE	28
Group 11	Segment Group 11	29
PAC	PACKAGE	30
MEA	MEASUREMENTS	31
MEA	MEASUREMENTS	32
MEA	MEASUREMENTS	33
MEA	MEASUREMENTS	34
Group 12	Segment Group 12	35
HAN	HANDLING INSTRUCTIONS	36
Group 13	Segment Group 13	37
PCI	PACKAGE IDENTIFICATION (SSCC)	38
Group 14	Segment Group 14	39
GIN	GOODS IDENTITY NUMBER (SSCC)	40
Group 15	Segment Group 15	41

LIN	LINE ITEM	42
PIA	ADDITIONAL PRODUCT ID	43
QTY	QUANTITY	44
Group 16	Segment Group 16	45
RFF	REFERENCE	46
Group 20	Segment Group 20	47
PCI	PACKAGE IDENTIFICATION	48
DTM	DATE/TIME/PERIOD	49
Group 21	Segment Group 21	50
GIN	GOODS IDENTITY NUMBER	51
UNT	MESSAGE TRAILER	52
UNZ	INTERCHANGE TRAILER	53

DESADV Despatch advice message

Message Status=2

Definition: A message specifying details for goods despatched or ready for despatch under agreed conditions. The United Nations Despatch Advice Message serves both as a specification for Delivery Despatch Advice and also as a Returns Despatch Advice message. Throughout this document, the reference to 'Despatch Advice' may be interpreted as conveying the wider meaning of 'Delivery Despatch Advice/Returns Despatch Advice'.

Not Defined:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
0010	UNB	INTERCHANGE HEADER	M	1		Must use

Heading:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
0020	UNH	MESSAGE HEADER	M	1	N1/0020	Must use
0030	BGM	BEGINNING OF MESSAGE	M	1	N1/0030	Must use
0040	DTM	DATE/TIME/PERIOD	M	10	N1/0040	Must use
0050	DTM	DATE/TIME/PERIOD	M	10	N1/0050	Must use
0060	DTM	DATE/TIME/PERIOD	M	10	N1/0060	Must use
0100		Segment Group 1	M	10	N1/0100	Must use
0110	RFF	REFERENCE	M	1	N1/0110	Must use

Detail:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
0120	RFF	REFERENCE	C	1	N2/0120	Must use

Heading:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
0130	RFF	REFERENCE	O	1	N1/0130	Used
0140	RFF	REFERENCE	C	1	N1/0140	Used
0160		Segment Group 2	M	10	N1/0160	Must use
0180	NAD	NAME AND ADDRESS	O	1	N1/0180	Must use
0190	NAD	NAME AND ADDRESS	M	1	N1/0190	Must use
0200	NAD	NAME AND ADDRESS	M	1	N1/0200	Must use
0210	NAD	NAME AND ADDRESS	M	1	N1/0210	Must use
0330		Segment Group 6	O	10	N1/0330	Used
0340	TDT	DETAILS OF TRANSPORT	O	1	N1/0340	Used

Detail:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
0470		Segment Group 10	M	9999	N2/0470	Must use
0480	CPS	CONSIGNMENT PACKING SEQUENCE	M	1	N2/0480	Must use
0500		Segment Group 11	M	9999	N2/0500	Must use
0510	PAC	PACKAGE	M	1	N2/0510	Must use
0520	PAC	PACKAGE	M	1	N2/0520	Must use

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
1090		Segment Group 10	M	9999	N2/1090	Must use
1100	CPS	CONSIGNMENT PACKING SEQUENCE	M	1	N2/1100	Must use
1120		Segment Group 11	M	9999	N2/1120	Must use
1130	PAC	PACKAGE	M	1	N2/1130	Must use
1140	MEA	MEASUREMENTS	O	10	N2/1140	Used
1150	MEA	MEASUREMENTS	O	10	N2/1150	Used
1160	MEA	MEASUREMENTS	O	10	N2/1160	Used
1170	MEA	MEASUREMENTS	O	10	N2/1170	Used
1190		Segment Group 12	O	10	N2/1190	Used
1200	HAN	HANDLING INSTRUCTIONS	O	1	N2/1200	Used
1220		Segment Group 13	M	1000	N2/1220	Must use
1230	PCI	PACKAGE IDENTIFICATION (SSCC)	M	1	N2/1230	Must use
1270		Segment Group 14	M	99	N2/1270	Must use
1280	GIN	GOODS IDENTITY NUMBER (SSCC)	M	1	N2/1280	Must use
1300		Segment Group 15	M	9999	N2/1300	Must use
1310	LIN	LINE ITEM	M	1	N2/1310	Must use
1320	PIA	ADDITIONAL PRODUCT ID	C	10	N2/1320	Used
1350	QTY	QUANTITY	M	10	N2/1350	Must use
1430		Segment Group 16	M	10	N2/1430	Must use
1440	RFF	REFERENCE	C	1	N2/1440	Must use
1580		Segment Group 20	C	9999	N2/1580	Used
1590	PCI	PACKAGE IDENTIFICATION	C	1	N2/1590	Must use
1600	DTM	DATE/TIME/PERIOD	C	5	N2/1600	Must use
1630		Segment Group 21	C	10	N2/1630	Used
1640	GIN	GOODS IDENTITY NUMBER	C	1	N2/1640	Must use

Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
1740	UNT	MESSAGE TRAILER	M	1	N3/1740	Must use

Not Defined:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
1750	UNZ	INTERCHANGE TRAILER	M	1		Must use

UNB INTERCHANGE HEADER

Pos: 0010	Max: 1
Mandatory	
Group: N/A	Elements: 6

User Option (Usage): Must use**Element Summary:**

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
UNB010	S001	SYNTAX IDENTIFIER	M	Comp		Must use
Description: Identification of the agency controlling the syntax and indication of syntax level.						
UNB010-010	0001	Syntax identifier	M	a	4/4	Must use
Description: Coded identification of the agency controlling a syntax and syntax level used in an interchange.						
CodeList Summary (Total Codes: 6, Included: 2)						
Code Name						
UNOA UN/ECE level A						
UNOC UN/ECE level C						
UNB010-020	0002	Syntax version number	M	n	1/1	Must use
Description: Version number of the syntax identified in the syntax identifier (0001).						
CodeList Summary (Total Codes: 3, Included: 1)						
Code Name						
2 Version 2						
UNB020	S002	INTERCHANGE SENDER	M	Comp		Must use
Description: Identification of the sender of the interchange.						
UNB020-010	0004	Sender identification	M	an	1/35	Must use
Description: Name or coded representation of the sender of a data interchange.						
UNB020-020	0007	Partner identification code qualifier	M	an	1/4	Must use
Description: Qualifier referring to the source of codes for the identifiers of interchanging partners.						
All valid standard codes are used. (Total Codes: 43)						
UNB030	S003	INTERCHANGE RECIPIENT	M	Comp		Must use
Description: Identification of the recipient of the interchange.						
UNB030-010	0010	Recipient identification	M	an	1/35	Must use
Description: Name or coded representation of the recipient of a data interchange.						
UNB030-020	0007	Partner identification code qualifier	M	an	1/4	Must use
Description: Qualifier referring to the source of codes for the identifiers of interchanging partners.						
All valid standard codes are used. (Total Codes: 43)						
UNB040	S004	DATE/TIME OF PREPARATION	M	Comp		Must use
Description: Date/time of preparation of the interchange.						

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
UNB040-010	0017	Date of preparation	M	n	6/6	Must use
		Description: Local date when an interchange or a functional group was prepared.				
UNB040-020	0019	Time of preparation	M	n	4/4	Must use
		Description: Local time of day when an interchange or a functional group was prepared.				
UNB050	0020	Interchange control reference	M	an	1/14	Must use
		Description: Unique reference assigned by the sender to an interchange.				
UNB100	0032	Communication agreement ID	M	an	1/35	Must use
		Description: Identification by name or code of the type of agreement under which the interchange takes place.				

Example:

```
UNB+UNOC:2+<Sender GLN>:14+<Receiver GLN>:14+140407:0427+99+++++EANCOM'
```

UNH MESSAGE HEADER

Pos: 0020	Max: 1
Mandatory	
Group: N/A	Elements: 2

User Option (Usage): Must use

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
UNH010	0062	Message reference number	M	an	1/14	Must use
		Description: Unique message reference assigned by the sender.				
UNH020	S009	MESSAGE IDENTIFIER	M	Comp		Must use
		Description: Identification of the type, version etc. of the message being interchanged.				
UNH020-010	0065	Message type identifier	M	an	1/6	Must use
		Description: Code identifying a type of message and assigned by its controlling agency.				
		CodeList Summary (Total Codes: 126, Included: 1)				
		<u>Code</u>	<u>Name</u>			
		DESADV	Despatch advice message			
UNH020-020	0052	Message type version number	M	an	1/3	Must use
		Description: Version number of a message type.				
UNH020-030	0054	Message type release number	M	an	1/3	Must use
		Description: Release number within the current message type version number (0052).				
UNH020-040	0051	Controlling agency	M	an	1/2	Must use
		Description: Code identifying the agency controlling the specification, maintenance and publication of the message type.				
		CodeList Summary (Total Codes: 20, Included: 1)				
		<u>Code</u>	<u>Name</u>			
		UN	UN/ECE/TRADE/WP.4, United Nations Standard Messages (UNSM)			
UNH020-050	0057	Association assigned code	M	an	1/6	Must use
		Description: Code, assigned by the association responsible for the design and maintenance of the message type concerned, which further identifies the message.				

Example:

UNH+ME000001+DESADV:D:96A:UN:EAN005'

Formatting Notes:

Message reference number should be numbered consecutively starting with "1" if more than one UNH segment is sent within a UNB/UNZ envelope.

BGM BEGINNING OF MESSAGE

Pos: 0030	Max: 1
Mandatory	
Group: N/A	Elements: 3

User Option (Usage): Must use

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
BGM010	C002	DOCUMENT/MESSAGE NAME	M	Comp		Must use
Description: Identification of a type of document/message by code or name. Code preferred.						
BGM010-010	1001	Document/message name, coded	M	an	1/3	Must use
Description: Document/message identifier expressed in code.						
CodeList Summary (Total Codes: 335, Included: 1)						
Code Name						
351 Despatch advice						
BGM010-030	3055	Code list responsible agency, coded	C	an	1/3	Used
Description: Code identifying the agency responsible for a code list.						
CodeList Summary (Total Codes: 168, Included: 1)						
Code Name						
9 EAN (International Article Numbering association)						
BGM020	1004	Document/message number	M	an	1/35	Must use
Description: Reference number assigned to the document/message by the issuer.						
BGM030	1225	Message function, coded	M	an	1/3	Must use
Description: Code indicating the function of the message.						
CodeList Summary (Total Codes: 54, Included: 2)						
Code Name						
5 Replace						
9 Original						

Example:

BGM+351+DES587441+9'

Formatting Notes:

Unique ASN ID (do not repeat within 365 days).

In order to edit a previously submitted EDI ASN, a second EDI ASN can be sent. The ASN ID (BGM+351) and Supplier Identification (NAD+SU) need to be identical for both transmissions, so that our system can successfully overwrite the previous version of the EDI ASN.

Please consult the "EU EDI ASN Business Requirements" in the EDI package from Vendor Central Resource Center for further information.

DTM DATE/TIME/PERIOD

Pos: 0040	Max: 10
Mandatory	
Group: N/A	Elements: 1

User Option (Usage): Must use

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM010	C507	DATE/TIME/PERIOD	M	Comp		Must use
Description: Date and/or time, or period relevant to the specified date/time/period type.						
DTM010-010	2005	Date/time/period qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a date, time or period.						
CodeList Summary (Total Codes: 321, Included: 1)						
Code Name						
11 Despatch date and or time						
DTM010-020	2380	Date/time/period	M	an	1/35	Must use
Description: The value of a date, a date and time, a time or of a period in a specified representation.						
DTM010-030	2379	Date/time/period format qualifier	M	an	1/3	Must use
Description: Specification of the representation of a date, a date and time or of a period.						
CodeList Summary (Total Codes: 70, Included: 1)						
Code Name						
102 CCYYMMDD						

Example:

DTM+11:20140408:102'

Formatting Notes:

Date on which the shipment leaves the vendor's warehouse.

Please consult the "EU EDI ASN Business Requirements" in the EDI package from Vendor Central Resource Center for further information.

DTM DATE/TIME/PERIOD

Pos: 0050	Max: 10
Mandatory	
Group: N/A	Elements: 1

User Option (Usage): Must use

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM010	C507	DATE/TIME/PERIOD	M	Comp		Must use
Description: Date and/or time, or period relevant to the specified date/time/period type.						
DTM010-010	2005	Date/time/period qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a date, time or period.						
CodeList Summary (Total Codes: 321, Included: 2)						
Code Name						
17 Delivery date/time, estimated						
132 Arrival date/time, estimated						
DTM010-020	2380	Date/time/period	M	an	1/35	Must use
Description: The value of a date, a date and time, a time or of a period in a specified representation.						
DTM010-030	2379	Date/time/period format qualifier	M	an	1/3	Must use
Description: Specification of the representation of a date, a date and time or of a period.						
CodeList Summary (Total Codes: 70, Included: 1)						
Code Name						
102 CCYYMMDD						

Example:

DTM+132:20140409:102'

You can either send DTM+132 or DTM+17, if both are sent Amazon will use DTM+132.

Formatting Notes:

Date on which the shipment is expected to reach Amazon's FC. It needs to be an estimate based on the average transit time between ship from location and the destination. The exact appointment time will be provided by Amazon and is potentially not known when creating the ASN.

Please consult the "EU EDI ASN Business Requirements" in the EDI package from Vendor Central Resource Center for further information.

DTM DATE/TIME/PERIOD

Pos: 0060	Max: 10
Mandatory	
Group: N/A	Elements: 1

User Option (Usage): Must use

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM010	C507	DATE/TIME/PERIOD	M	Comp		Must use
Description: Date and/or time, or period relevant to the specified date/time/period type.						
DTM010-010	2005	Date/time/period qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a date, time or period.						
CodeList Summary (Total Codes: 321, Included: 1)						
Code Name						
137 Document/message date/time						
DTM010-020	2380	Date/time/period	M	an	1/35	Must use
Description: The value of a date, a date and time, a time or of a period in a specified representation.						
DTM010-030	2379	Date/time/period format qualifier	M	an	1/3	Must use
Description: Specification of the representation of a date, a date and time or of a period.						
CodeList Summary (Total Codes: 70, Included: 1)						
Code Name						
102 CCYYMMDD						

Example:

DTM+137:20140407:102'

Segment Group 1

Pos: 0100	Repeat: 10
Mandatory	
Group: 1	Elements: N/A

User Option (Usage): Must use

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0110	RFF	REFERENCE	M	1	Must use
0120	RFF	REFERENCE	C	1	Must use
0130	RFF	REFERENCE	O	1	Used
0140	RFF	REFERENCE	C	1	Used

RFF REFERENCE

Pos: 0110	Max: 1
Mandatory	
Group: 1	Elements: 1

User Option (Usage): Must use

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
RFF010	C506	REFERENCE	M	Comp		Must use

Description: Identification of a reference.

RFF010-010	1153	Reference qualifier	M	an	1/3	Must use
------------	------	---------------------	---	----	-----	----------

Description: Code giving specific meaning to a reference segment or a reference number.

External Information: *The Bill of Lading (BOL) reference number is the unique number assigned by the shipper in creating the Bill of Lading. This is a number that identifies a unique shipment.*

The BOL sent in the DESADV ideally matches the paper BOL provided with the shipment, but that is no must. The BOL is the reference that is used for appointment booking.

You can either send this shipment id via RFF+BM or RFF+DQ.

If neither is available, the DESADV is non-compliant and cannot be used.

Formatting Notes: *If possible, Amazon suggests to add a prefix to the BOL reference to make it unique per vendor, e.g. 'ABCD' in RFF+BM:ABCD12332'*

CodeList Summary (Total Codes: 436, Included: 2)

Code Name

BM Bill of lading number

DQ Delivery note number

RFF010-020	1154	Reference number	M	an	1/35	Must use
------------	------	------------------	---	----	------	----------

Description: Identification number the nature and function of which can be qualified by an entry in data element 1153 Reference qualifier.

Example:

RFF+BM:ABCD12332'

Formatting Notes:

You can either send RFF+BM or RFF+DQ, if both are sent Amazon will use RFF+BM.

Please consult the "EU EDI ASN Business Requirements" in the EDI package from Vendor Central Resource Center for further information.

RFF REFERENCE

Pos: 0120	Max: 1
Conditional	
Group: 1	Elements: 1

User Option (Usage): Must use

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
RFF010	C506	REFERENCE	M	Comp		Must use
Description: Identification of a reference.						
RFF010-010	1153	Reference qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a reference segment or a reference number.						
CodeList Summary (Total Codes: 436, Included: 1)						
Code Name						
ON Order number (purchase)						
RFF010-020	1154	Reference number	M	an	1/35	Must use
Description: Identification number the nature and function of which can be qualified by an entry in data element 1153 Reference qualifier.						

Example:

RFF+ON:1AA1TEST'

Formatting Notes:

This segment is used to provide references that apply to the whole transaction.

If the DESADV message is for line items relating to one single Purchase Order number (PO), the PO number can be sent on header level and can be omitted on line item level.

Please consult the "EU EDI ASN Business Requirements" in the EDI package from Vendor Central Resource Center for further information.

RFF REFERENCE

Pos: 0130	Max: 1
Optional	
Group: 1	Elements: 1

User Option (Usage): Used

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
RFF010	C506	REFERENCE	M	Comp		Must use

Description: Identification of a reference.

RFF010-010	1153	Reference qualifier	M	an	1/3	Must use
------------	------	---------------------	---	----	-----	----------

Description: Code giving specific meaning to a reference segment or a reference number.**CodeList Summary** (Total Codes: 436, Included: 1)**Code Name**

CN Carrier's reference number

RFF010-020	1154	Reference number	M	an	1/35	Must use
------------	------	------------------	---	----	------	----------

Description: Identification number the nature and function of which can be qualified by an entry in data element 1153 Reference qualifier.**External Information:***This field can be filled with one of the following values:**=> carrier PRO number for LTL and TL carriers**=> carrier tracking number for small parcel carriers**=> carrier airbill number for air freight***Example:***RFF+CN:009447616'*

RFF REFERENCE

Pos: 0140	Max: 1
Conditional	
Group: 1	Elements: 1

User Option (Usage): Used

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
RFF010	C506	REFERENCE	M	Comp		Must use

Description: Identification of a reference.

RFF010-010	1153	Reference qualifier	M	an	1/3	Must use
------------	------	---------------------	---	----	-----	----------

Description: Code giving specific meaning to a reference segment or a reference number.

CodeList Summary (Total Codes: 436, Included: 1)

Code Name

ACD Additional reference number

RFF010-020	1154	Reference number	M	an	1/35	Must use
------------	------	------------------	---	----	------	----------

Description: Identification number the nature and function of which can be qualified by an entry in data element 1153 Reference qualifier.

External Information:

This field must be filled using the Amazon Reference ID from the RFF+ACD segment received from Amazon on the related IFTMBC message

Example:

RFF+ACD:4479315901'

Formatting Notes:

This segment must be used when the ASN is for a WePay Shipment (where Amazon sends a Carrier to collect the Shipment)

The segment requires the Amazon Reference ID as received in the related IFTMBC message.

Segment Group 2

Pos: 0160	Repeat: 10
Mandatory	
Group: 2	Elements: N/A

User Option (Usage): Must use

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0180	NAD	NAME AND ADDRESS	O	1	Must use
0190	NAD	NAME AND ADDRESS	M	1	Must use
0200	NAD	NAME AND ADDRESS	M	1	Must use
0210	NAD	NAME AND ADDRESS	M	1	Must use

NAD NAME AND ADDRESS

Pos: 0180	Max: 1
Optional	
Group: 2	Elements: 2

User Option (Usage): Must use

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
NAD010	3035	Party qualifier	M	an	1/3	Must use

Description: Code giving specific meaning to a party.

CodeList Summary (Total Codes: 299, Included: 1)

Code Name

CA Carrier

NAD020	C082	PARTY IDENTIFICATION DETAILS	M	Comp		Must use
--------	------	-------------------------------------	---	------	--	----------

Description: Identification of a transaction party by code.

NAD020-010	3039	Party id. identification	M	an	1/35	Must use
------------	------	--------------------------	---	----	------	----------

Description: Code identifying a party involved in a transaction.

External Information: *Please send the SCAC here if available.*

Example:

NAD+CA+SCAC'

NAD NAME AND ADDRESS

Pos: 0190	Max: 1
Mandatory	
Group: 2	Elements: 3

User Option (Usage): Must use

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
NAD010	3035	Party qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a party.						
CodeList Summary (Total Codes: 299, Included: 1)						
Code Name						
DP Delivery party						
NAD020	C082	PARTY IDENTIFICATION DETAILS	M	Comp		Must use
Description: Identification of a transaction party by code.						
NAD020-010	3039	Party id. identification	M	an	1/35	Must use
Description: Code identifying a party involved in a transaction.						
NAD020-030	3055	Code list responsible agency, coded	M	an	1/3	Must use
Description: Code identifying the agency responsible for a code list.						
CodeList Summary (Total Codes: 168, Included: 1)						
Code Name						
9 EAN (International Article Numbering association)						
NAD090	3207	Country, coded	O	an	1/3	Recommended
Description: Identification of the name of a country or other geographical entity as specified in ISO 3166.						
Formatting Notes: Amazon is expecting the country to be provided in ISO 3166-1 alpha-2 code (2 digits).						

Example:

`NAD+DP+<ShipTo GLN>::9++++++ISOCOUNTRYCODE'`

Formatting Notes:

Please use the GLN Overview from the Vendor Central Resource Center for the values to be used.

Address details for the ship-to locations are available in your Vendor Manual in the Vendor Central Resource Center.

Please consult the "EU EDI ASN Business Requirements" in the EDI package from Vendor Central Resource Center for further information.

NAD NAME AND ADDRESS

Pos: 0200	Max: 1
Mandatory	
Group: 2	Elements: 2

User Option (Usage): Must use

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
NAD010	3035	Party qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a party.						
CodeList Summary (Total Codes: 299, Included: 1)						
Code Name						
SU Supplier						
NAD020	C082	PARTY IDENTIFICATION DETAILS	M	Comp		Must use
Description: Identification of a transaction party by code.						
NAD020-010	3039	Party id. identification	M	an	1/35	Must use
Description: Code identifying a party involved in a transaction.						
NAD020-030	3055	Code list responsible agency, coded	M	an	1/3	Must use
Description: Code identifying the agency responsible for a code list.						
CodeList Summary (Total Codes: 168, Included: 1)						
Code Name						
9 EAN (International Article Numbering association)						

Example:

NAD+SU+<Supplier GLN>::9'

Formatting Notes:

NAD030 - NAD090 in segment NAD+SU are only needed for INVOIC messages and can be omitted for the following EDIFACT messages sent to Amazon: ORDRSP, DESADV, INVRPT.

In order to edit a previously submitted EDI ASN, a second EDI ASN can be sent. The ASN ID (BGM+351) and Supplier Identification (NAD+SU, NAD020) need to be identical for both transmissions, so that our system can successfully overwrite the previous version of the EDI ASN.

Please consult the "EU EDI ASN Business Requirements" in the EDI package from Vendor Central Resource Center for further information.

NAD NAME AND ADDRESS

Pos: 0210	Max: 1
Mandatory	
Group: 2	Elements: 4

User Option (Usage): Must use

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
NAD010	3035	Party qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a party.						
CodeList Summary (Total Codes: 299, Included: 1)						
Code Name						
SF Ship from						
NAD020	C082	PARTY IDENTIFICATION DETAILS	M	Comp		Must use
Description: Identification of a transaction party by code.						
NAD020-010	3039	Party id. identification	M	an	1/35	Must use
Description: Code identifying a party involved in a transaction.						
NAD020-030	3055	Code list responsible agency, coded	M	an	1/3	Must use
Description: Code identifying the agency responsible for a code list.						
CodeList Summary (Total Codes: 168, Included: 1)						
Code Name						
9 EAN (International Article Numbering association)						
NAD080	3251	Postcode identification	M	an	1/9	Must use
Description: Code defining postal zones or addresses.						
NAD090	3207	Country, coded	M	an	1/3	Must use
Description: Identification of the name of a country or other geographical entity as specified in ISO 3166.						
Formatting Notes: Amazon is expecting the country to be provided in ISO 3166-1 alpha-2 code (2 digits).						

Example:

NAD+SF+<Warehouse GLN>.:9+++++ZIPCODE+ISOCOUNTRYCODE'

Formatting Notes:

Address (ZIP code) and ISO country code of the location where the products are physically shipped from.

Please consult the "EU EDI ASN Business Requirements" in the EDI package from Vendor Central Resource Center for further information.

Segment Group 6

Pos: 0330	Repeat: 10
Optional	
Group: 6	Elements: N/A

User Option (Usage): Used

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0340	TDT	DETAILS OF TRANSPORT	O	1	Used

TDT DETAILS OF TRANSPORT

Pos: 0340	Max: 1
Optional	
Group: 6	Elements: 3

User Option (Usage): Used

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
TDT010	8051	Transport stage qualifier	O	an	1/3	Used

Description: Qualifier giving a specific meaning to the transport details.

CodeList Summary (Total Codes: 14, Included: 2)

Code Name

20 Main-carriage transport
25 Delivery carrier all transport

TDT030	C220	MODE OF TRANSPORT	M	Comp		Must use
--------	------	-------------------	---	------	--	----------

Description: Method of transport code or name. Code preferred.

TDT030-010	8067	Mode of transport, coded	M	an	1/3	Must use
------------	------	--------------------------	---	----	-----	----------

Description: Coded method of transport used for the carriage of the goods.

External Information:

10 = carriage by sea
20 = carriage by rail
30 = road haulage
40 = carriage by air

TDT040	C228	TRANSPORT MEANS	O	Comp		Used
--------	------	-----------------	---	------	--	------

Description: Code and/or name identifying the type of means of transport.

TDT040-010	8179	Type of means of transport identification	O	an	1/8	Used
------------	------	---	---	----	-----	------

Description: Code defining the type of the means of transport being utilized.

CodeList Summary (Total Codes: 24, Included: 4)

Code Name

13 Ocean vessel
25 Rail express
31 Truck
41 Aircraft

Example:

TDT+20++30+31'

Segment Group 10

Pos: 0470	Repeat: 9999
Mandatory	
Group: 10	Elements: N/A

User Option (Usage): Must use

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0480	CPS	CONSIGNMENT PACKING SEQUENCE	M	1	Must use
0500		Segment Group 11	M	9999	Must use

CPS CONSIGNMENT PACKING SEQUENCE

Pos: 0480	Max: 1
Mandatory	
Group: 10	Elements: 1

User Option (Usage): Must use

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CPS010	7164	Hierarchical id. number	M	an	1/12	Must use

Description: A unique number assigned by the sender to identify a level within a hierarchical structure.

Formatting Notes: 1

Notes:

1. The first CPS segment defines the entire shipment and represents the highest hierarchical level.
2. The following CPS segments represent the package units of which the shipment is composed.

Example:

CPS+1'

Segment Group 11

Pos: 0500	Repeat: 9999
Mandatory	
Group: 11	Elements: N/A

User Option (Usage): Must use

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0510	PAC	PACKAGE	M	1	Must use
0520	PAC	PACKAGE	M	1	Must use

PAC PACKAGE

Pos: 0510	Max: 1
Mandatory	
Group: 11	Elements: 2

User Option (Usage): Must use

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PAC010	7224	Number of packages	M	n	1/8	Must use
		Description: Number of individual parts of a shipment either unpacked, or packed in such a way that they cannot be divided without first undoing the packing.				
PAC030	C202	PACKAGE TYPE	M	Comp		Must use
		Description: Type of package by name or by code from a specified source.				
PAC030-010	7065	Type of packages identification	M	an	1/17	Must use

Description: Coded description of the form in which goods are presented.

Formatting Notes:

201 = ISO EURO pallet

202 = UK industrial size pallets (might only be applicable for UK)

Example:

PAC+[# of pallets]++201'

Formatting Notes:

Number of pallets present in the shipment. For shipments containing only parcels the value 0 (PAC+0++201) needs to be sent, all volumes that reach the FC on a pallet need to have a minimum quantity of 1 stated in this segment.

The pallet count is mandatory at shipment level.

Please consult the "EU EDI ASN Business Requirements" in the EDI package from Vendor Central Resource Center for further information.

PAC PACKAGE

Pos: 0520	Max: 1
Mandatory	
Group: 11	Elements: 2

User Option (Usage): Must use

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PAC010	7224	Number of packages	M	n	1/8	Must use
		Description: Number of individual parts of a shipment either unpacked, or packed in such a way that they cannot be divided without first undoing the packing.				
PAC030	C202	PACKAGE TYPE	M	Comp		Must use
		Description: Type of package by name or by code from a specified source.				
PAC030-010	7065	Type of packages identification	M	an	1/17	Must use

Description: Coded description of the form in which goods are presented.

Formatting Notes:

PK = carton

Example:

PAC+[# of cartons]++PK'

Formatting Notes:

Number of cartons present in the shipment. Units that are stacked on the pallet without outer carton are counted as 1 unit = 1 carton.

The carton count is mandatory at shipment level.

Please consult the "EU EDI ASN Business Requirements" in the EDI package from Vendor Central Resource Center for further information.

Segment Group 10

Pos: 1090	Repeat: 9999
Mandatory	
Group: 10	Elements: N/A

User Option (Usage): Must use

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
1100	CPS	CONSIGNMENT PACKING SEQUENCE	M	1	Must use
1120		Segment Group 11	M	9999	Must use
1300		Segment Group 15	M	9999	Must use

CPS CONSIGNMENT PACKING SEQUENCE

Pos: 1100	Max: 1
Mandatory	
Group: 10	Elements: 2

User Option (Usage): Must use

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CPS010	7164	Hierarchical id. number	M	an	1/12	Must use
<p>Description: A unique number assigned by the sender to identify a level within a hierarchical structure.</p> <p>Formatting Notes: <i>First carton has ID "2", second carton has ID "3" etc.</i></p>						
CPS020	7166	Hierarchical parent id.	M	an	1/12	Must use
<p>Description: Identification number of the next higher hierarchical data segment in a hierarchical structure.</p> <p>Formatting Notes: <i>1</i></p>						

Example:

1. The first CPS segment defines the entire shipment and represents the highest hierarchical level.
CPS+1'

2. The following CPS segments represent the package units of which the shipment is composed.
CPS+2+1' (first packing unit)
CPS+3+1' (second packing unit)
CPS+4+1' (third packing unit)
etc.

Segment Group 11

Pos: 1120	Repeat: 9999
Mandatory	
Group: 11	Elements: N/A

User Option (Usage): Must use

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
1130	PAC	PACKAGE	M	1	Must use
1140	MEA	MEASUREMENTS	O	10	Used
1150	MEA	MEASUREMENTS	O	10	Used
1160	MEA	MEASUREMENTS	O	10	Used
1170	MEA	MEASUREMENTS	O	10	Used
1190		Segment Group 12	O	10	Used
1220		Segment Group 13	M	1000	Must use

PAC PACKAGE

Pos: 1130	Max: 1
Mandatory	
Group: 11	Elements: 3

User Option (Usage): Must use

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PAC010	7224	Number of packages	M	n	1/8	Must use
Description: Number of individual parts of a shipment either unpacked, or packed in such a way that they cannot be divided without first undoing the packing.						
Formatting Notes: 1						
PAC020	C531	PACKAGING DETAILS	M	Comp		Must use
Description: Packaging level and details, terms and conditions.						
PAC020-020	7233	Packaging related information, coded	O	an	1/3	Used
Description: Code giving packaging, handling and marking related information.						
CodeList Summary (Total Codes: 25, Included: 1)						
Code Name						
52 Package barcoded UCC or EAN-128						
PAC030	C202	PACKAGE TYPE	M	Comp		Must use
Description: Type of package by name or by code from a specified source.						
PAC030-010	7065	Type of packages identification	M	an	1/17	Must use
Description: Coded description of the form in which goods are presented.						
Formatting Notes: PK, 201 or 202						

Example:

PAC+1+:52+PK'

MEA MEASUREMENTS

Pos: 1140	Max: 10
Optional	
Group: 11	Elements: 3

User Option (Usage): Used

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
MEA010	6311	Measurement application qualifier	M	an	1/3	Must use

Description: Specification of the application of the physical measurement used.

CodeList Summary (Total Codes: 87, Included: 1)

Code Name

PD Physical dimensions (product ordered)

MEA020	C502	MEASUREMENT DETAILS	M	Comp		Must use
--------	------	----------------------------	---	------	--	----------

Description: Identification of measurement type.

MEA020-010	6313	Measurement dimension, coded	M	an	1/3	Must use
------------	------	-------------------------------------	---	----	-----	----------

Description: Specification of the type of dimension to be measured.

CodeList Summary (Total Codes: 225, Included: 1)

Code Name

LN Length dimension

MEA030	C174	VALUE/RANGE	M	Comp		Must use
--------	------	--------------------	---	------	--	----------

Description: Measurement value and relevant minimum and maximum tolerances in that order.

MEA030-010	6411	Measure unit qualifier	M	an	1/3	Must use
------------	------	-------------------------------	---	----	-----	----------

Description: Indication of the unit of measurement in which weight (mass), capacity, length, area, volume or other quantity is expressed.

Formatting Notes: *CMT*

MEA030-020	6314	Measurement value	M	n	1/18	Must use
------------	------	--------------------------	---	---	------	----------

Description: Value of the measured unit.

Example:

MEA+PD+LN+CMT:120'

MEA MEASUREMENTS

Pos: 1150	Max: 10
Optional	
Group: 11	Elements: 3

User Option (Usage): Used

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
MEA010	6311	Measurement application qualifier	M	an	1/3	Must use

Description: Specification of the application of the physical measurement used.

CodeList Summary (Total Codes: 87, Included: 1)

Code Name

PD Physical dimensions (product ordered)

MEA020	C502	MEASUREMENT DETAILS	M	Comp		Must use
--------	------	---------------------	---	------	--	----------

Description: Identification of measurement type.

MEA020-010	6313	Measurement dimension, coded	M	an	1/3	Must use
------------	------	------------------------------	---	----	-----	----------

Description: Specification of the type of dimension to be measured.

CodeList Summary (Total Codes: 225, Included: 1)

Code Name

WD Width dimension

MEA030	C174	VALUE/RANGE	M	Comp		Must use
--------	------	-------------	---	------	--	----------

Description: Measurement value and relevant minimum and maximum tolerances in that order.

MEA030-010	6411	Measure unit qualifier	M	an	1/3	Must use
------------	------	------------------------	---	----	-----	----------

Description: Indication of the unit of measurement in which weight (mass), capacity, length, area, volume or other quantity is expressed.

Formatting Notes: *CMT*

MEA030-020	6314	Measurement value	M	n	1/18	Must use
------------	------	-------------------	---	---	------	----------

Description: Value of the measured unit.

Example:

MEA+PD+WD+CMT:50'

MEA MEASUREMENTS

Pos: 1160	Max: 10
Optional	
Group: 11	Elements: 3

User Option (Usage): Used

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
MEA010	6311	Measurement application qualifier	M	an	1/3	Must use
Description: Specification of the application of the physical measurement used.						
CodeList Summary (Total Codes: 87, Included: 1)						
Code Name						
PD Physical dimensions (product ordered)						
MEA020	C502	MEASUREMENT DETAILS	M	Comp		Must use
Description: Identification of measurement type.						
MEA020-010	6313	Measurement dimension, coded	M	an	1/3	Must use
Description: Specification of the type of dimension to be measured.						
CodeList Summary (Total Codes: 225, Included: 1)						
Code Name						
HT Height dimension						
MEA030	C174	VALUE/RANGE	M	Comp		Must use
Description: Measurement value and relevant minimum and maximum tolerances in that order.						
MEA030-010	6411	Measure unit qualifier	M	an	1/3	Must use
Description: Indication of the unit of measurement in which weight (mass), capacity, length, area, volume or other quantity is expressed.						
Formatting Notes: <i>CMT</i>						
MEA030-020	6314	Measurement value	M	n	1/18	Must use
Description: Value of the measured unit.						

Example:

MEA+PD+HT+CMT:30'

MEA MEASUREMENTS

Pos: 1170	Max: 10
Optional	
Group: 11	Elements: 3

User Option (Usage): Used

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
MEA010	6311	Measurement application qualifier	M	an	1/3	Must use
Description: Specification of the application of the physical measurement used.						
CodeList Summary (Total Codes: 87, Included: 1)						
Code Name						
PD Physical dimensions (product ordered)						
MEA020	C502	MEASUREMENT DETAILS	M	Comp		Must use
Description: Identification of measurement type.						
MEA020-010	6313	Measurement dimension, coded	M	an	1/3	Must use
Description: Specification of the type of dimension to be measured.						
CodeList Summary (Total Codes: 225, Included: 1)						
Code Name						
AAB Unit gross weight						
MEA030	C174	VALUE/RANGE	M	Comp		Must use
Description: Measurement value and relevant minimum and maximum tolerances in that order.						
MEA030-010	6411	Measure unit qualifier	M	an	1/3	Must use
Description: Indication of the unit of measurement in which weight (mass), capacity, length, area, volume or other quantity is expressed.						
Formatting Notes: <i>KGM</i>						
MEA030-020	6314	Measurement value	M	n	1/18	Must use
Description: Value of the measured unit.						

Example:

MEA+PD+AAB+KGM:12'

Segment Group 12

Pos: 1190	Repeat: 10
Optional	
Group: 12	Elements: N/A

User Option (Usage): Used

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
1200	HAN	HANDLING INSTRUCTIONS	O	1	Used

HAN HANDLING INSTRUCTIONS

Pos: 1200	Max: 1
Optional	
Group: 12	Elements: 1

User Option (Usage): Used

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
HAN010	C524	HANDLING INSTRUCTIONS	M	Comp		Must use

Description: Instruction for the handling of goods, products or articles in shipment, storage etc.

HAN010-010	4079	Handling instructions, coded	M	an	1/3	Must use
------------	------	------------------------------	---	----	-----	----------

Description: Identification of the instructions on how specified goods, packages or containers should be handled.

Formatting Notes:

BIG = oversized

CRU = fragile

EAT = food

HWC = handle with care

Example:

HAN+BIG'

Segment Group 13

Pos: 1220	Repeat: 1000
Mandatory	
Group: 13	Elements: N/A

User Option (Usage): Must use

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
1230	PCI	PACKAGE IDENTIFICATION (SSCC)	M	1	Must use
1270		Segment Group 14	M	99	Must use

PCI PACKAGE IDENTIFICATION (SSCC)

Pos: 1230	Max: 1
Mandatory	
Group: 13	Elements: 1

User Option (Usage): Must use

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PCI010	4233	Marking instructions, coded	M	an	1/3	Must use

Description: Code indicating instructions on how specified packages or physical units should be marked.

CodeList Summary (Total Codes: 32, Included: 1)

Code Name

33E Serial Shipping Container Code (SSCC)

Example:

PCI+33E'

Segment Group 14

Pos: 1270	Repeat: 99
Mandatory	
Group: 14	Elements: N/A

User Option (Usage): Must use

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
1280	GIN	GOODS IDENTITY NUMBER (SSCC)	M	1	Must use

GIN GOODS IDENTITY NUMBER (SSCC)

Pos: 1280	Max: 1
Mandatory	
Group: 14	Elements: 2

User Option (Usage): Must use

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
GIN010	7405	Identity number qualifier	M	an	1/3	Must use
Description: Code specifying the type/source of identity number.						
CodeList Summary (Total Codes: 48, Included: 1)						
Code Name						
BJ Serial shipping container code						
GIN020	C208	IDENTITY NUMBER RANGE	M	Comp		Must use
Description: Goods item identification numbers, start and end of consecutively numbered range.						
GIN020-010	7402	Identity number	M	an	1/35	Must use
Description: A value given to an object for identification purposes.						
External Information: This segment will contain the License Plate Receive number (SSCC, NVE).						

Example:

GIN+BJ+354123450000000014'

Formatting Notes:

Unique 18-digit Serial Shipment Container Code (SSCC) to be included to define a pallet or carton.

The SSCC in this DESADV segment has to match 100% to the barcode on the physical label. Therefore, vendors wanting to implement GS1-128 are asked to add a '00' at the beginning of their SSCC.

Segment Group 15

Pos: 1300	Repeat: 9999
Mandatory	
Group: 15	Elements: N/A

User Option (Usage): Must use

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
1310	LIN	LINE ITEM	M	1	Must use
1320	PIA	ADDITIONAL PRODUCT ID	C	10	Used
1350	QTY	QUANTITY	M	10	Must use
1430		Segment Group 16	M	10	Must use
1580		Segment Group 20	C	9999	Used

LIN LINE ITEM

Pos: 1310	Max: 1
Mandatory	
Group: 15	Elements: 2

User Option (Usage): Must use

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
LIN010	1082	Line item number	M	n	1/6	Must use

Description: Serial number designating each separate item within a series of articles.

LIN030	C212	ITEM NUMBER IDENTIFICATION	C	Comp		Used
--------	------	----------------------------	---	------	--	------

Description: Goods identification for a specified source.

LIN030-010	7140	Item number	M	an	1/35	Must use
------------	------	-------------	---	----	------	----------

Description: A number allocated to a group or item.

External Information: *The value in this field should match the line item identifier supplied by Amazon when the order was placed either via EDI or some alternative method such as Vendor Central.*

LIN030-020	7143	Item number type, coded	M	an	1/3	Must use
------------	------	-------------------------	---	----	-----	----------

Description: Identification of the type of item number.

CodeList Summary (Total Codes: 70, Included: 3)

Code Name

EN	International Article Numbering Association (EAN)
UP	UPC (Universal product code)
SRV	GTIN

Example:

LIN+1++1234567891234:EN'

Formatting Notes:

The item ID and item ID type in the DESADV must be the same item ID and item ID type ordered within the ORDERS message.

Substitution of an item ID is NOT allowed.

PIA ADDITIONAL PRODUCT ID

Pos: 1320	Max: 10
Conditional	
Group: 15	Elements: 2

User Option (Usage): Used

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PIA010	4347	Product id. function qualifier	M	an	1/3	Must use

Description: Indication of the function of the product code.**CodeList Summary** (Total Codes: 8, Included: 2)**Code Name**

1	Additional identification
5	Product identification

PIA020	C212	ITEM NUMBER IDENTIFICATION	M	Comp		Must use
--------	------	----------------------------	---	------	--	----------

Description: Goods identification for a specified source.

PIA020-010	7140	Item number	M	an	1/35	Must use
------------	------	-------------	---	----	------	----------

Description: A number allocated to a group or item.**External Information:** *The value in this field should match the line item identifier supplied by Amazon when the order was placed either via EDI or some alternative method such as e-mail.*

PIA020-020	7143	Item number type, coded	M	an	1/3	Must use
------------	------	-------------------------	---	----	-----	----------

Description: Identification of the type of item number.**CodeList Summary** (Total Codes: 69, Included: 3)**Code Name**

BP	Buyer's part number
IB	ISBN (International Standard Book Number)
SA	Supplier's article number

Example:

PIA+5+1234567891:IB'

QTY QUANTITY

Pos: 1350	Max: 10
Mandatory	
Group: 15	Elements: 1

User Option (Usage): Must use

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
QTY010	C186	QUANTITY DETAILS	M	Comp		Must use
Description: Quantity information in a transaction, qualified when relevant.						
QTY010-010	6063	Quantity qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a quantity.						
CodeList Summary (Total Codes: 180, Included: 1)						
Code Name						
12 Despatch quantity						
QTY010-020	6060	Quantity	M	n	1/15	Must use
Description: Numeric value of a quantity.						

Example:

QTY+12:20'

Segment Group 16

Pos: 1430	Repeat: 10
Mandatory	
Group: 16	Elements: N/A

User Option (Usage): Must use

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
1440	RFF	REFERENCE	C	1	Must use

RFF REFERENCE

Pos: 1440	Max: 1
Conditional	
Group: 16	Elements: 1

User Option (Usage): Must use

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
RFF010	C506	REFERENCE	M	Comp		Must use
Description: Identification of a reference.						
RFF010-010	1153	Reference qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a reference segment or a reference number.						
CodeList Summary (Total Codes: 436, Included: 1)						
Code Name						
ON Order number (purchase)						
RFF010-020	1154	Reference number	M	an	1/35	Must use
Description: Identification number the nature and function of which can be qualified by an entry in data element 1153 Reference qualifier.						

Example:

RFF+ON:1AA1TEST'

Formatting Notes:

If the DESADV message is for line items relating to one single Purchase Order number (PO), the PO number can be sent on header level and can be omitted on line item level.

If the DESADV message does not include a PO reference on header level, it needs to be included on line item level.

Please consult the "EU EDI ASN Business Requirements" in the EDI package from Vendor Central Resource Center for further information.

Segment Group 20

Pos: 1580	Repeat: 9999
Conditional	
Group: 20	Elements: N/A

User Option (Usage): Used

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
1590	PCI	PACKAGE IDENTIFICATION	C	1	Must use
1600	DTM	DATE/TIME/PERIOD	C	5	Must use
1630		Segment Group 21	C	10	Used

PCI PACKAGE IDENTIFICATION

Pos: 1590	Max: 1
Conditional	
Group: 20	Elements: 1

User Option (Usage): Must use

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PCI010	4233	Marking instructions, coded	C	an	1/3	Must use

Description: Code indicating instructions on how specified packages or physical units should be marked.

CodeList Summary (Total Codes: 35, Included: 8)

<u>Code</u>	<u>Name</u>
10	Mark batch number
13	Mark date of production
14	Mark expiry date
17	Seller's instructions
36E	Marked with batch number (EAN Code)
37E	Marked with production/manufacturing date (EAN Code)
38E	Marked with expiry date (EAN Code)
39E	Marked with best before date (EAN Code)

Example:

PCI+17'

DTM DATE/TIME/PERIOD

Pos: 1600	Max: 5
Conditional	
Group: 20	Elements: 1

User Option (Usage): Must use

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM010	C507	DATE/TIME/PERIOD	M	Comp		Must use
Description: Date and/or time, or period relevant to the specified date/time/period type.						
DTM010-010	2005	Date/time/period qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a date, time or period.						
CodeList Summary (Total Codes: 321, Included: 3)						
Code Name						
36 Expiry date						
94 Production/manufacture date						
361 Best before date						
DTM010-020	2380	Date/time/period	C	an	1/35	Must use
Description: The value of a date, a date and time, a time or of a period in a specified representation.						
DTM010-030	2379	Date/time/period format qualifier	C	an	1/3	Must use
Description: Specification of the representation of a date, a date and time or of a period.						
CodeList Summary (Total Codes: 70, Included: 1)						
Code Name						
102 CCYYMMDD						

Example:

DTM+361:20180131:102' > best before date

DTM+94:20140601:102' > production/manufacture date

Formatting Notes:*Expiry Date:*

The date that determines the limit of consumption or use of a product. Its meaning is determined based on the trade item context.

Manufacture Date:

Production, Packaging or Assembly Date determined by the manufacturer. Its meaning is determined based on the trade item context.

Please consult the "EU EDI ASN Business Requirements" in the EDI package from Vendor Central Resource Center for further information.

Segment Group 21

Pos: 1630	Repeat: 10
Conditional	
Group: 21	Elements: N/A

User Option (Usage): Used

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
1640	GIN	GOODS IDENTITY NUMBER	C	1	Must use

GIN GOODS IDENTITY NUMBER

Pos: 1640	Max: 1
Conditional	
Group: 21	Elements: 2

User Option (Usage): Must use

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
GIN010	7405	Identity number qualifier	M	an	1/3	Must use
Description: Code specifying the type/source of identity number.						
CodeList Summary (Total Codes: 48, Included: 1)						
Code Name						
BX Batch number						
GIN020	C208	IDENTITY NUMBER RANGE	M	Comp		Must use
Description: Goods item identification numbers, start and end of consecutively numbered range.						
GIN020-010	7402	Identity number	M	an	1/35	Must use
Description: A value given to an object for identification purposes.						

Example:

GIN+BX+35161023'

Formatting Notes:

The batch or lot number associates an item with information the manufacturer considers relevant for traceability of the trade item to which the Element String is applied. The data may refer to the trade item itself or to items contained.

Please consult the "EU EDI ASN Business Requirements" in the EDI package from Vendor Central Resource Center for further information.

UNT MESSAGE TRAILER

Pos: 1740	Max: 1
Mandatory	
Group: N/A	Elements: 2

User Option (Usage): Must use

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
UNT010	0074	Number of segments in a message	M	n	1/6	Must use
		Description: Control count of number of segments in a message.				
UNT020	0062	Message reference number	M	an	1/14	Must use
		Description: Unique message reference assigned by the sender.				

Example:

UNT+45+ME000001'

UNZ INTERCHANGE TRAILER

Pos: 1750	Max: 1
Mandatory	
Group: N/A	Elements: 2

User Option (Usage): Must use

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
UNZ010	0036	Interchange control count	M	n	1/6	Must use
Description: Count either of the number of messages or, if used, of the number of functional groups in an interchange.						
UNZ020	0020	Interchange control reference	M	an	1/14	Must use
Description: Unique reference assigned by the sender to an interchange.						

Example:

UNZ+1+99'